USING EVIDENCE TO STRENGTHEN HBP IMPLEMENTATION UNDER PMJAY



Owen Smith World Bank Guwahati February 25, 2019





Outline

- Background: Monitoring HBP
- A closer look at fraud, waste & abuse
- (Briefly) Survey data



Background: Monitoring HBP





Using Evidence to Strengthen HBP Implementation

FIGURE 1. The Core Elements of HBP Design



What's In? What's Out? Designing Benefits for UHC

Source:

Using Evidence to Strengthen HBP Implementation



Source: What's In? What's Out? Designing Benefits for UHC

PMJAY Benefit Package

S.No	Speciality	No. of packages
1	Cardiology	38
2	Cardio-vascular surgery	71
3	Cardio-thoracic surgery	21
4	Opthalmology	44
5	ENT	99
6	Orthopaedics	101
7	Polytrauma	13
8	Urology	161
9	Obstetrics & Gynaecology	89
10	General Surgery	253
11	Paediatric medical management	99
12	Neo-natal	4
13	Paediatric surgery	34
14	Paediatric cancer	12
15	Medical packages	72
16	Neurosurgery	82
17	Interventional Neuroradiology	12
18	Oncology	110
19	Reconstructive surgery	9
20	Burns management	12
21	Dental	7
	Total	1343

Many Possible Dimensions for HBP monitoring (1)



Many Possible Dimensions for HBP monitoring (2)







How many are covered?



How many have utilized?

What is the patient experience?





What is the size and structure of claims payments?

Are sufficient funds available

to SHA/insurers?

How effective/efficient are internal processes for claims payment?

Integrity



Are beneficiary, payer and provider fraud prevented, detected and deterred?





Is the number of hospitals sufficient?

Supply

Are the empanelled facilities working near full capacity?



Is the care provided of adequate quality?

PMJAY Dashboard



PM Letter Tracking

A Closer Look at Fraud, Waste & Abuse





"Integrity Violations" Undermine the Benefit Package

- Average losses due to fraud estimated at 6.2% in 7 high-income countries (OECD)
- One study estimated losses due to health insurance fraud in India at INR 600-800 crore in 2012 – likely far higher today
- Increase in coverage from 30,000 (RSBY) to 5 lakh (PMJAY) increases risk of fraud
- Impact of integrity violations in health sector is not merely financial – implications also for health
- Some measures required to address fraud and waste are similar to those required to address quality



Fraud vs. Abuse vs. Waste vs. Error

	FRAUD	ABUSE	WASTE	ERROR
Definition	 Intentional Illegal "Rule-breaking" behavior 	 Without criminal intent "Rule-bending" behavior Not illegal, but inconsistent with medical, fiscal, business practices 	 Not intentional Inadvertent use of resources 	 Not intentional Mistakes during the process of healthcare delivery
Examples	 Charging for laparoscopic surgery when conventional surgery is performed. 	 Ordering unnecessary tests for the purpose of increasing reimbursements 	 Prescribing high- cost medicines when cheaper generic is available 	 Prescribing wrong medications to a patient

NHA & SHA Roles and Responsibilities for Fraud Control

National Health Authority: Stewardship

- Anti-fraud guidelines/framework
- Anti-fraud cell
- Legal & regulatory
- Anti-fraud clauses in contracts
- IT system design and advanced analytics
- Transactional triggers list
- Data standards & mining
- Development of clinical protocols
- Oversight, monitoring, trends, profiling, comparative analysis
- Dedicated cell/staff
- Capacity-building, technical assistance
- Course correction

State Health Agencies: Stewardship & Implementation

- Institutional structure
- Dedicated cell/staff and capacity-building
- Operational actions
- Anti-fraud awareness
- Oversight & monitoring
- Localized transactional triggers list
- Effective beneficiary identification & audits
- Data analysis
- Claims/medical audits, field investigations
- Adherence to clinical protocols
- Contract monitoring & enforcement, punitive action, recoveries

Fraud & waste can happen at any stage



Monitoring Supply/Capacity



Tamil Nadu Makes All Empanelment Data Public



Examples of Anti-Fraud Measures

Prevention

- Legal framework
- Beneficiary ID system
 Empanelment criteria
 Benefit package design
 Pre-authorization
 Clinical practice/ standard treatment guidelines
- Volume controls



Deterrence

- Penalties
 - Fines
 - Suspension
 - Dis-empanelment
- Prosecution

Detecting Fraud: Examples from 4 Indian States

	Gujarat - MA	Maharashtra - MJPAY	Tamil Nadu - CMCHIS	Telangana - AHS	
Audits	✓	✓	✓	✓	
	Pre and post-payment	Pre and post-payment	Pre and post-payment	Pre and post-payment	
	audit; medical audits	audit; medical audits	audit; medical audits	audit; medical audits	
Hotlines/social audits	✓	✓	✓	✓	
	Patient feedback; 24/7	Patient feedback; 24/7	Patient feedback; 24/7	Patient feedback; 24/7	
	helplines; feedback form	helplines; feedback form	helplines; feedback form	helplines; feedback form	
Data analysis	✓	✓	✓	✓	
	Outlier analysis	Outlier analysis	Outlier analysis	Outlier analysis	
Claims processing	Claims processing ✓		✓	✓	
	Photos and videos		Photos and videos	Photos and videos	
	submitted for all claims;		submitted for all claims;	submitted for all claims;	
	rules-based		rules-based	rules-based	

Data Analytics to Identify Outliers





SELCET STATE		SELECT RANGE (Preauth appr		# CASES		Last refreshed at:					
r' d	r d		9/23/2018 1/23/2019			559		2/. /20 11:32:19 AM			
SELCET SPECIALITY		SELECT PACKAGE TYPE		SELECT Bucket		et for #Beds	SELECT #Preauths per hospital				
All	\sim		All \checkmark			All \checkmark		All	\sim		
Hospital State		Avg # reauths	Hospital Name		Hospital State	Hospital District	# Preauths Raised	% Preauths Buckets f Raised		for # Beds ^	
	1	559	Centre		. 1 'n: I	f nc' 597		1.71% 50-100 B		eds	
Total	1	559	l.g.n.,N.d	e Sadan	r r	T ii	559	1.60%	6 100+ Beds	5	
			د _{کل} المران N Hospital	Iultispeciality	0.0100	ו' sd' z	649	1.86%	100+ Bed		
			iri iç heralho	ospital	'd	E i i	587	1.689	6 50-100 Be	ds	
			See Show	a lloma	lhaddaad	Danchi	773	2.240	DE EO Rod	- >	
Buckets for # Beds	# Active Hospitals	Avg # Preauths	Procedure Typ (Med/Surg	e	Proce	dure		# Preauths Raised	Preauth Amount	Average Preauth	
100+ Beds	228	179					/	•		Amount	
No of Beds BLANK	176	163	М		e(dialysis payable	separately as ar	n add on	39	184,500	4,731.00	
0-10 Beds	281	106	6	package for)				27	600.000	10 505 00	
50-100 Beds	336	99	S	Unspecified Sur				37		18,595.00	
25-50 Beds	626	70	S		holecystectomy			32		22,508.00	
10-25 Beds	627	49	S	Laparoscopic A				29		23,319.00	
Total	2274	91	м		Peritoneal Dialysis			24	48,000	2,000.00	
				Ureteroscopy+:	stone removal wit	h lithotripsy, upp	per ureter,	20	641,500	32.075.00	

SELCET STATE		SELECT RANGE (Preauth appr		# CASES		Last refreshed at:				
		9/23/2018			88	883		/201. 11:32:19 AM		
		SELECT PAG			SELECT Bucket for #Beds		SELECT #Preauths per hospital			
All	~	~	All	\sim		All	\sim	All		\sim
Hospital State	# Active Hospitals	Avg # Preauths	Hospita	al Name	Hospital State	Hospital District	# Preauths Raised	% Preauths Raised	Buckets	for # Beds ^
21MIN. /	1	883	L		E L	D N a	1009	2.899	% 50-100 Be	ds
Total	1	883	🔍) Health Care	e Centre		O.C.J.Ch	883	2.539	% 10-25 Bed	S
			Superspecialty F			, ii	831	2.389	% 100+ Beds	;
								2.25	C 400 D	
				,	J	Chi	823	2.35	% 50-100 Be	ds
			C Cancer Institute	, ,	J	thi	823	2.35	% 50-100 Be	ds E ² _ ···
Buckets for # Beds	# Active Hospitals	Avg # Preauths ▼	C Cancer Institute Procedure Type (Med/Surg)	e la	Proce		823	# Preauths Raised	Preauth Amount	
Buckets for # Beds		Preauths 883	Procedure Type (Med/Surg)				823	# Preauths Raised ▼	Preauth Amount	Average ^ Preauth Amount
	Hospitals	Preauths •	<pre> Procedure Type (Med/Surg) M </pre>	Enteric fever	Proce	dure		# Preauths Raised •	Preauth Amount 668,700	Average ^ Preauth Amount 2,920.00
10-25 Beds	Hospitals 1	Preauths •	<pre> Procedure Type (Med/Surg) M M M </pre>	Enteric fever Acute gastroe	Proce enteritis with modera	dure		# Preauths Raised • 229 139	Preauth Amount 668,700 295,200	Average ^ Preauth Amount 2,920.00 2,124.00
10-25 Beds	Hospitals 1	Preauths •	<pre> Procedure Type (Med/Surg) M M M M </pre>	Enteric fever Acute gastroe Neuromuscula	Proces Interitis with modera ar disorders	dure		 # Preauths Raised 229 139 116 	Preauth Amount 668,700 295,200 323,100	Average Preauth Amount 2,920.00 2,124.00 2,785.00
10-25 Beds	Hospitals 1	Preauths •	<pre> Procedure Type (Med/Surg) M M M M M M M </pre>	Enteric fever Acute gastroe Neuromuscula Hypertensive	Proces Interitis with modera ar disorders emergencies	dure		# Preauths Raised22913911659	Preauth Amount 6668,700 295,200 323,100 227,700	Average Preauth Amount 2,920.00 2,124.00 2,785.00 3,859.00
10-25 Beds	Hospitals 1	Preauths •	<pre> Procedure Type (Med/Surg) M M M M </pre>	Enteric fever Acute gastroe Neuromuscula	Proces Interitis with modera ar disorders emergencies	dure		 # Preauths Raised 229 139 116 	Preauth Amount 668,700 295,200 323,100	Average Preauth Amount 2,920.00 2,124.00 2,785.00

Triggers

Triggers Points

1. Claim History Triggers

- Impersonation.
- · Mismatch of in-house document with submitted documents.
- · Claims without signature of the beneficiary on pre-authorisation form.
- Second claim in the same year for an acute medical illness/surgical.
- · Claims from multiple hospitals with same owner.
- Claims from a hospital located far away from beneficiary's residence, pharmacy bills away from hospital/residence.
- · Claims for hospitalization at a hospital already identified on a "watch" list or black listed hospital.
- · Claims from members with no claim free years, i.e. regular claim history.
- · Same beneficiary claimed in multiple places at the same time.
- Excessive utilization by a specific member belonging to the beneficiary Family Unit.
- Deliberate blocking of higher-priced package rates to claim higher amounts.
- Claims with incomplete/ poor medical history: complaints/ presenting symptoms not mentioned,
- · only line of treatment given, supporting documentation vague or insufficient.
- Claims with missing information like post-operative histopathology reports, surgical / anaesthetist notes missing in surgical cases.
- Multiple claims with repeated hospitalization (under a specific policy at different hospitals or at one hospital of one member of the beneficiary family unit and different hospitals for other members of the beneficiary family unit,
- Multiple claims towards the end of policy cover period, close proximity of claims.

2. Admissions Specific Triggers

- · Members of the same beneficiary family getting admitted and discharged together.
- · High number of admissions.
- · Repeated admissions.
- · Repeated admissions of members of the same beneficiary family unit.
- · High number of admission in odd hours.
- · High number of admission in weekends/ holidays.
- Admission beyond capacity of hospital.
- Average admission is beyond bed capacity of the provider in a month.
- Excessive ICU (Intensive Care Unit) admission.
- · High number of admission at the end of the Policy Cover Period.

- Claims for medical management admission for exactly 24 hours to cover OPD treatment, expensive investigations.
- Claims with Length of Stay (LOS) which is in significant variance with the average LoS for a
 particular ailment.

3. Diagnosis Specific Triggers

- · Diagnosis and treatment contradict each other.
- · Diagnostic and treatment in different geographic locations.
- Claims for acute medical Illness which are uncommon e.g. encephalitis, cerebral malaria, monkey bite, snake bite etc.
- · Ailment and gender mismatch.
- Ailment and age mismatch.
- Multiple procedures for same beneficiary blocking of multiple packages even though not required.
- One-time procedure reported many times.
- Treatment of diseases, illnesses or accidents for which an Empanelled Health Care Provider is not equipped or empanelled for.
- Substitution of packages, for example, Hernia as Appendicitis, Conservative treatment as Surgical.
- Part of the expenses collected from beneficiary for medicines and screening in addition to amounts received by the Insurer.
- ICU/ Medical Treatment blocking done for more than 5 days of stay, other than in the case of critical illnesses.
- Overall medical management exceeds more than 5 days, other than in the case of critical illness.
- High number of cases treated on an out-of-pocket payment basis at a given provider, post consumption of financial limit.

4. Billing and Tariff based Triggers

- Claims without supporting pre/ post hospitalisation papers/ bills.
- Multiple specialty consultations in a single bill.
- Claims where the cost of treatment is much higher than expected for underlying etiology.
- High value claim from a small hospital/nursing home, particularly in class B or C cities not consistent with ailment and/or provider profile.
- Irregular or inordinately delayed synchronization of transactions to avoid concurrent investigations.
- Claims submitted that cause suspicion due to format or content that looks "too perfect" in order.

Using Evidence to Inform Medical Audits

- On-site or off-site medical audits focused on:
 - Packages with high utilization
 - Packages with high potential of fraud, waste & abuse
 - High-cost procedures
 - Packages with high variation (e.g., length of stay, etc.)
 - Hospitals with highest pre-authorizations/claims vs. bed capacity
 - Hospitals with high use of "unspecified" package code
- Feedback into benefit package design
 - Review costing/package prices
 - Reserving packages for government hospitals
 - Etc.

Collecting Evidence from Beneficiaries

Call center data analytics

SMS messages to beneficiaries post-discharge

CM letters seeking feedback (Maharashtra & Telangana)

District vigilance officers (Tamil Nadu)

PHC Arogyamitras (Maharashtra & Telangana) Whistle-blower policy

Monitoring Grievances



Share of grievances that are resolved within the prescribed time frame

Target: Over 98 percent

Share of grievances that needed escalation Target: Less than 10 percent

- a. Number of grievances resolved through Direct Channel
- b. Number of beneficiary grievances related to out-of-pocket payments
- c. Number of beneficiary grievances related to quality of services
- d. Number of beneficiary grievances related to denial of services
- e. Number of beneficiary grievances related to delays in receiving services
- f. Number of grievances from empanelled providers related to partially or fully rejected claims
- g. Number of grievances from empanelled providers related to **delays in receiving** claims reimbursements
- h. Number of beneficiary grievances related to portability benefits
- i. Number of provider grievances related to portability claims

Using Hotlines to Address Informal Payments: An Example from Europe



Source: World Bank 2011.

Resources



Ongoing Initiatives

- DHR/MoHFW & PGI-Chandigarh costing exercise
- Standard treatment guidelines
- M&E framework under development
- "Proof of Concept" (POC) exercise: 5 IT firms developing advanced analytical tools for fraud detection
- **Package-by-package review** to identify appropriate diagnostics to help inform pre-authorizations







Extending M&E to Survey-Based Indicators

Dimension	Why important?	Indicator
Financial protection	To track whether OOP is decreasing and beneficiaries are financially protected	 OOP per hospitalization episode among insured/uninsured, by quintile OOP total (and breakdown by drugs/lab/etc.) among insured/uninsured, by quintile Catastrophic/impoverishing OOP among insured/uninsured, by quintile
Patient care-seeking behavior and experience	To track how AB-PMJAY affects patient care- seeking behavior and satisfaction	 Utilization of public/private hospitals among insured/uninsured, by quintile Utilization of outpatient/inpatient care among insured/uninsured, by quintile Hospital referrals from outpatient depts., by facility ownership Patient satisfaction with inpatient care among insured/uninsured
Health outcomes	To track whether AB- PMJAY is contributing to improved health outcomes	• Mortality from tracer conditions within 30/60 days of discharge

EQUITY

Note: Some indicators could be measured via exit survey, others would require NSSO data or other large sample-size household survey.

Hospitalization Rates by Quintile, all India

The better off seek inpatient care far more often than the poorest quintile

The better off are far more likely to seek care in the private sector



Hospitalization Rates





Thank You



